



2022

ABSTRACT BOOK

INTERNATIONAL SOIL SCIENCE SYMPOSIUM on SOIL SCIENCE & PLANT NUTRITION

(7th International Scientific Meeting)

2 – 3 December 2022

Samsun, Türkiye

Editors

Dr.Rıdvan KIZILKAYA

Dr.Coşkun GÜLSER

Dr.Orhan DENGİZ

Organized by

Federation of Eurasian Soil Science Societies

Erasmus Mundus Joint Master Degree in Soil Science (emiSS) Programme



With the support of the
Erasmus+ Programme
of the European Union

Cover design by FESSS

Editors:

Dr.Rıdvan Kızılkaya

Ondokuz Mayıs University, Faculty of Agriculture
Department of Soil Science and Plant Nutrition
55139 Samsun, Türkiye

Dr.Coşkun Gülser

Ondokuz Mayıs University, Faculty of Agriculture
Department of Soil Science and Plant Nutrition
55139 Samsun, Türkiye

Dr.Orhan Dengiz

Ondokuz Mayıs University, Faculty of Agriculture
Department of Soil Science and Plant Nutrition
55139 Samsun, Türkiye

Copyright © 2022 by Federation of Eurasian Soil Science Societies.

All rights reserved

ISBN 978-605-63090-7-6

This Abstract book has been prepared from different abstracts sent to the symposium secretary only by making some changes in the format. Scientific committee regret for any language and/or aim-scope.

All rights reserved. No parts of this publication may be reproduced, copied, transmitted, transcribed or stored in any form or by any means such as mechanical, electronic, magnetic, optical, chemical, manual or otherwise, without prior written permission from copyright owner.

Publication date : 2 December 2022



Visit the Symposium web site at
<http://www.fesss.org/>

E-mail: symposium@fesss.org



With the support of the
Erasmus + Programme
of the European Union

Direct sowing of rainfed winter wheat and in arid region of South Kazakhstan

Elmira SALJNIKOV ^{1,2,*}, Sagadat TUREBAYEVA ³, Aigul ZHAPPAROVA ³,
Mira MILINKOVIĆ ¹, Vladan UGRENOVIC ¹, Vladimir MILADINOVIC ¹, Aneta BUNTIC ¹

¹ Institute of Soil Science, Department of Pedology, Teodora Drajzera 7, 11000, Belgrade, Serbia

² Mitscherlich Academy for Soil Fertility (MITAK) GmbH, Prof.-Mitscherlich-Allee 1, 14641 Paulinenaue, Germany

³ Department of Soil Science and Agrochemistry, Faculty of Agrobiological Sciences, Kazakh National Agrarian Research University, Abai Avenue 8, Almaty 050010, Kazakhstan

ABSTRACT

To feed the ever-growing population of the Earth, it is necessary to obtain higher grain yields per unit area. This requires intensive exploitation of arable land against the background of a reduction in their area, which ultimately leads to soil degradation. Currently, about 75% of the territories of the Republic of Kazakhstan are subject to an increased risk of desertification, more than 30.5 million hectares are subject to wind and water erosion, and 54% of these territories are located in the southern part of the country. In the arid climate of southern Kazakhstan, the main limiting factor of crops is the lack of soil moisture and availability of nutrients. In addition in recent few decades the cost of fossil fuels and lubricants are steadily growing. Resource saving technologies such as direct sowing, can significantly contribute in the problems of soil moisture loss, soil degradation due to tillage, wind and water erosion, CO₂ emission due to mineralization etc. The effect of different doses and terms of application of growth stimulators, micronutrients, bio-fertilizers and mineral fertilizers, as well as their economic efficiency, was studied in ten variables of rainfed winter wheat grown with zero tillage technology. The use of a combination of growth stimulators and microfertilizers produced the highest grain yield and was the most cost-effective. The greatest value of the nominal net profit of 223.25 euro and 244.10 euro from one hectare was provided and calculated with the recommended target grain yield of 2.0 t/ha dose of mineral fertilizers, respectively; however, the production cost of one ton of grain in these treatments was also highest. Further research is continuing with a wider range and combination of amendments and various crops in a rainfed no-till winter wheat farm in southern Kazakhstan. The results have shown that in dry and hot climate conditions with a deficit moisture regime, direct sowing of rainfed winter wheat can be successfully applied provided an appropriate combination, dosage and timing of fertilizers and crop protection chemicals are applied

Key words:

Corresponding author : Elmira SALJNIKOV

E-mail: soils.saljnikov@gmail.com